COVID-19: Vaccines, Masking, and its Impact on Children

NHSA Rising Summer Series



WELCOME!



Danette Glassy, MD MPH, FAAP




Hilda Loria MD, FAAP

SHARE WITH US!

Share 1-2 words that come to mind about vaccines, masking, and its impact on children.




Fig 6. United States: Number of Child COVID-19 Cases Added in Past Week*



Week ending in

Number of child cases added

Fig 7. United States: Child COVID-19 Cases Added in Past Week, by Region*



Week ending in


6 states changed their definition of child cases: AL as of 8/13/20, HI as of 8/27/20, RI as of 9/10/20, MO as of 10/1/20, WV as of 8/12/21, WA as of 3/10/22
On 5/19/22, TX released new data that is NOT included in cumulative case counts or figures but located here and in Appendix 3B of this report (1,184,990 cumulative child cases as of 5/19/22);

TX previously reported age for only a small proportion of total cases each week (eg. 2-20%); these cumulative cases through 8/26/21 are included (7,754) Due to available data and calculations required to obtain MA child cases, weekly estimates fluctuate

^{*} Note: Regions are the US Census Regions 6 states changed their definition of child case

Cumulative Number of US COVID-19 Vaccine Recipients Ages 5-11

11.3.21 to 5.25.22




Source: AAP analysis of data series titled "COVID -19 Vaccinations in the United States, Jurisdiction". CDC COVID -19 Data Tracker (URL: https://data.cdc.gov/Vaccinations/COVID-19-Vaccinations-in-the-United-States-Jurisdi/unsk-b7fc). Check state web sites for additional or more recent information. Notes: (i) Age information was provided with Idaho data since 1.25.2022. Inclusion of this information added 31K initial-dose recipients to the 5-11 age group nationally as of 2.2.2022. (ii) California revised their report of cumulative initial dose recipients down by 17K on 5.12.2022. Check state web sites for additional or more recent information.




Proportion of US
Children Ages 5-11
Who Received the
Initial Dose of the
COVID-19 Vaccine, by
State of Residence

Source: AAP analysis of data series titled "COVID -19 Vaccinations in the United States, Jurisdiction". CDC COVID -19 Data Tracker (URL: https://data.cdc.gov/Vaccinations/COVID-19-Vaccinations-in-the-United-States-Jurisdi/unsk-b7fc). Check state web sites for additional or more recent information.



as of 5.25.22

Fig 8. United States: Number of COVID-19 Cases Added in Past Week for Children and Adults*



Week ending in

For 6 states, due to available data and changes made to dashboards, cumulative child cases and total cases for all ages are not current: AL through 7/29/21, HI through 1/13/22, DC through 3/3/22, MS through 3/10/22, SC through 4/28/22, and NE through 5/12/22 See detail in Appendix: Data from 49 states. NYC. DC. PR and GU

All data reported by state/local health departments are preliminary and subject to change; Analysis by American Academy of Pediatrics and Children's Hospital Association



^{*} Note: 6 states changed their definition of child cases: AL as of 8/13/20, HI as of 8/27/20, RI as of 9/10/20, MO as of 10/1/20, WV as of 8/12/21, WA as of 3/10/22
On 5/19/22, TX released new data that is NOT included in cumulative case counts or figures but located here and in Appendix 3B of this report (1,184,990 cumulative child cases as of 5/19/22);
TX previously reported age for only a small proportion of total cases each week (eg, 2-20%); these cumulative cases through 8/26/21 are included (7,754)
Due to available data and calculations required to obtain MA child cases, weekly estimates fluctuate

VACCINES & BOOSTERS



How the COVID-19 VACCINE WORKS



Where to Find Reliable Information

- CDC: www.cdc.gov/coronavirus/2019-nCoV/
- Office of Head Start
- AAP Guidance Related to Child Care During COVID-19
- AAP COVID Information for Families https://www.healthychildren.org/English/healthissues/conditions/COVID-19/Pages/default.aspx
- Your local health department
 - Has authority for local public health measures and tracking/monitoring of cases/contacts



AAP TOOLKIT

Find and share:

- Prepared media posts
- Videos from pediatrician experts
- Graphics explaining COVID-19 vaccines, masks, and social distancing
- Animated GIFs
- And much more!









Caring for Our Children



Caring for Our Children national standards: https://nrckids.org/CFOC

1.1.1.1 Rations for Small Family Child Care Homes	3.6.1.1 Inclusion/Exclusion/Dismissal of Children
1.1.1.2 Ration for Large Family Child Care Homes	3.6.1.2 Staff Exclusion for Illnesses
1.1.1.3 Ratios for Facilities Serving Children with Special Health Care Needs and Disabilities	3.6.1.3 Thermometers for Taking Human Temperatures
1.7.0.2 Daily Staff Health Check	4.3.1.8 Techniques for Bottle Feedings
2.3.1.2 Parent/Guardian Visits	4.5.0.4 Socialization During Meals
3.1.1.1 Conduct of Daily Health Check	5.2.1.1 Ensuring Access to Fresh Air Indoors
3.1.5.1 Routine Oral Hygiene Activities	5.2.1.3 Heating and Ventilation Equipment Inspection and Maintenance
3.1.5.2 Toothbrushes and Toothpaste	5.4.5.1 Sleeping Equipment and Supplies
3.2.2.1 Situations that Require Hand Hygiene	6.5.2.3 Child Behavior During Transportation
6.5.2.1 Drop-Off and Pick Up	7.1. How Infections Spread



Head Start Program Performance Standards

- 1302.93 Staff Health and Wellness
- 1302.2 Training and professional development
- 1303.74 Transportation safety procedures
- 1302.41 Collaboration and communication with parents
- 1302.47 Safety practices
- 1302.43 Oral health practices
- 1302.45 Child mental health and social and emotional well-being
- 1302.42 Child health status and care
- 1302.44 Child nutrition



WHAT MASK SHOULD I WEAR?



HOW DO I HELP CHILDREN WEAR A MASK?

- Look in the mirror with the face mask on and talk about it.
- Put a mask on a favorite stuffed animal.
- Decorate them so they're more personalized and fun.
- Show your child pictures of other children wearing them.
- Draw one on their favorite book character.
- Practice wearing the face mask at home to help your child get used to it.



UPDATED ISOLATION GUIDANCE

If you tested positive for COVID-19 or have symptoms

(regardless of vaccination status)

Stay home for at least 5 days

Stay home for 5 days and <u>isolate</u> from others in your home.

- Wear a well-fitted mask if you must be around others in your home.
- If you were severely ill with COVID-19
 You should isolate for at least 10 days. <u>Consult your doctor before ending isolation</u>.

Take precautions until day 10

- Wear a mask
 Wear a well-fitted mask for 10 full days any time
 you are around others inside your home or in
 public. Do not go to places where you are unable
 to wear a mask.
- Avoid travel
- Avoid being around people who are at high risk

Day 1 is the first full day after your last contact with a person who has had COVID-19. Stay home and away from other people for at least 5 days

COVID-19 IMPACT ON CHILD HEALTH





GRIEF & LOSS

More than 201,000 U.S. children lost a primary or secondary caregiver due to the COVID-19 pandemic

- Imperial College London





National Emergency in Child and Adolescent Mental Health




We have witnessed soaring rates of mental health challenges among children, adolescents, and their families over the course of the COVID-19 pandemic, exacerbating the situation that existed prior to the pandemic.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



AMERICAN ACADEMY OF CHILD & ADOLESCENT PSYCHIATRY





SIGNS OF STRESS IN YOUNG CHILDREN

- Change in behavior/abilities
- Fearfulness/clinging
- Changes in sleep
- Tantrums/melt-downs
- Withdrawal
- New wetting/soiling
- Tummy aches/body complaints



STRATEGIES FOR EARLY INTERVENTION

- Early intervention services (e.g. local/regional/federal programs such as Head Start/Early Head Start, Early Childhood Intervention)
- Early care and education special education developmental therapies (e.g. physical therapy, occupational therapy, speech therapy)
- Early Childhood Mental Health Consultants


- Evidence-based behavioral therapies (e.g. play therapy, parent-child interaction therapy
- Pediatric Specialists (e.g. Developmental-Behavioral Pediatrics, Psychiatry, Neurology)
- Community supports (e.g. parenting support, cultural groups, school system, etc.)

MENTAL HEALTH RESOURCES

- AAP Mental Health Resources for Families-https://www.aap.org/en/patient-care/mental-health-initiatives/mental-health-resources-for-families/
- ECLKC Mental Health resources: https://eclkc.ohs.acf.hhs.gov/mental-health
- Center of Excellence for Infant & Early Childhood Mental Health Consultation https://www.iecmhc.org/
- CDC Emotional Wellbeing https://www.cdc.gov/populationhealth/well-being/index.htm



TAKE CARE OF YOURSELF TOO!



ECLKC Staff Wellness - https://eclkc.ohs.acf.hhs.gov/mental-

health/article/promoting-staff-well-being American Academy of Pediatrics

